

SAFETY DATA SHEET



1. Identification of the substance/preparation and company/undertaking

1.1 Identification of the substance or mixture

Product name Energol HP 10

SDS no. 456621

1.2 Use of the substance/mixture Hydraulic fluid
For specific application advice see appropriate Technical Data Sheet or consult our company representative.

1.3 Company/undertaking identification

Supplier BP Petrolleri A.Ş.
Sarı Kanarya Sokak No:14 K2 Plaza
34742 Kozyatağı, İstanbul
TURKEY

Telephone: 0216 5712800
Fax: 0216 5712950

E-mail address MSDSadvice@bp.com

1.4 Emergency telephone number

EMERGENCY TELEPHONE NUMBER BP Access Line: 0 212 473 27 27
Carechem: +44 (0) 1235 239 670 (24 hours)

2. Composition/information on ingredients

Substance/preparation

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Chemical name	CAS no.	%	EINECS / ELINCS.	Classification
Base oil - unspecified	Varies	50 - 100		Not classified. [1] [2]
Distillates (petroleum), hydrotreated, light naphthenic	64742-53-6	50 - 100	265-156-6	Not classified. [1] [2]
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	1 - 5	265-157-1	Not classified. [1] [2]
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	1 - 5	265-169-7	Not classified. [1] [2]

See Section 16 for the full text of the R-phrases declared above.

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] PBT-substance

[4] vPvB-substance

Occupational exposure limits, if available, are listed in Section 8.

3. Hazards identification

This preparation is not classified as dangerous according to Directive 1999/45/EC as amended and adapted.

Additional hazards

Defatting to the skin.

Note: High Pressure Applications

Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency.

See 'Notes to physician' under First-Aid Measures, Section 4 of this Safety Data Sheet.

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

4. First-aid measures

Eye contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.

Skin contact

Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.

Inhalation

If inhaled, remove to fresh air. Get medical attention if symptoms appear.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name	Energol HP 10	Product code	456621-BE02	Page:	1/5
Date of revision	31 December 2012	Number of Revisions	2	Format	Turkey
First issue date	1 December 2009	Build	1.0.1	(Turkey)	(ENGLISH)

Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Notes to physician	<p>Treatment should in general be symptomatic and directed to relieving any effects.</p> <p>Note: High Pressure Applications</p> <p>Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis.</p> <p>Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage.</p> <p>Note that high pressure may force the product considerable distances along tissue planes.</p>

5 . Fire-fighting measures

Extinguishing media	
Suitable	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.
Not suitable	Do not use water jet.
Hazardous decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Unusual fire/explosion hazards	In a fire or if heated, a pressure increase will occur and the container may burst.
Special fire-fighting procedures	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
Protection of fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

6 . Accidental release measures

Personal precautions - For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment.
Personal precautions - For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Large spill	Immediately contact emergency personnel. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Reference to other sections	<p>See Section 1 for emergency contact information.</p> <p>See Section 5 for firefighting measures.</p> <p>See Section 8 for information on appropriate personal protective equipment.</p> <p>See Section 12 for environmental precautions.</p> <p>See Section 13 for additional waste treatment information.</p>

7 . Handling and storage

7.1 Handling	Put on appropriate personal protective equipment.
Handling - Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Storage	Store and use only in equipment/containers designed for use with this product. Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10).
Not suitable	Prolonged exposure to elevated temperature.
7.3 Specific uses	For specific application advice see appropriate Technical Data Sheet or consult our company representative.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name	Energol HP 10	Product code	456621-BE02	Page:	2/5
Date of revision	31 December 2012	Number of Revisions	2	Format	Turkey
First issue date	1 December 2009	Build	1.0.1	(Turkey)	(ENGLISH)

8. Exposure controls/personal protection

8.1 Occupational exposure limits

Ingredient name

Base oil - unspecified

Distillates (petroleum), hydrotreated, light naphthenic

Distillates (petroleum), hydrotreated heavy paraffinic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Whilst specific OELs for certain components may be shown in this section, other components may be present in any mist, vapour or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Occupational exposure limits

ACGIH (United States).

TWA: 5 mg/m³ 8 hours. Form: Mineral oil, mist

ACGIH TLV (United States).

TWA: 5 mg/m³ 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction

ACGIH TLV (United States).

TWA: 5 mg/m³ 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction

ACGIH TLV (United States).

TWA: 5 mg/m³ 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction

8.2 Exposure controls

8.2.1 Occupational exposure controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.

All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

8.2.1.1 Respiratory protection

Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure.

In case of insufficient ventilation, wear suitable respiratory equipment.

The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

8.2.1.2 Hand protection

Wear protective gloves if prolonged or repeated contact is likely.

Wear chemical resistant gloves.

Recommended: Nitrile gloves.

The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

8.2.1.3 Eye protection

Safety glasses with side shields.

8.2.1.4 Skin protection

Use of protective clothing is good industrial practice.

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.

8.2.2 Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

9.1 General information

9.1.1 Appearance

Physical state

Liquid.

Colour

Amber.

9.1.2 Odour

Oily.

9.2 Important health, safety and environmental information

Flash point

Closed cup: >140°C (>284°F) [Pensky-Martens.]

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name	Energol HP 10	Product code	456621-BE02	Page:	3/5
Date of revision	31 December 2012	Number of Revisions	2	Format	Turkey
First issue date	1 December 2009	Build	1.0.1	(Turkey)	(ENGLISH)

Viscosity	Kinematic: 10 mm ² /s (10 cSt) at 40°C Kinematic: 2.55 mm ² /s (2.55 cSt) at 100°C
Pour point	-30 °C
Density	1000 kg/m ³ (<1 g/cm ³) at 15°C
Solubility	insoluble in water.
9.3 Other information	Not available.

10 . Stability and reactivity

Stability	The product is stable.
10.1 Conditions to avoid	No specific data.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
10.2 Materials to avoid	Reactive or incompatible with the following materials: oxidising materials.
10.3 Hazardous decomposition products	Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 . Toxicological information

Chronic toxicity	
Chronic effects	Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
Effects and symptoms	
Eyes	Potential risk of transient stinging or redness if accidental eye contact occurs.
Skin	May cause skin dryness and irritation.
Inhalation	Vapour inhalation under ambient conditions is not normally a problem due to low vapour pressure. Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.

12 . Ecological information

12.1 Ecotoxicity	
12.2 Environmental hazards	Not classified as dangerous.
12.3 Mobility	Spillages may penetrate the soil causing ground water contamination.
12.4 Persistence/degradability	Expected to be biodegradable.
12.5 Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

13 . Disposal considerations

Disposal considerations / Waste information	The generation of waste should be avoided or minimised wherever possible. Waste product residues should not be disposed of via the sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
--	---

Refer to all national, regional, and local regulations for disposal requirements

14 . Transport information

Not classified as hazardous for transport (ADR/RID, ADN, IMDG, ICAO/IATA)

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name	Energol HP 10	Product code	456621-BE02	Page:	4/5
Date of revision	31 December 2012	Number of Revisions	2	Format	Turkey
First issue date	1 December 2009	Build	1.0.1	(Turkey)	(ENGLISH)

15 . Regulatory information

Classification and labelling have been performed according to EU directive 1999/45/EC as amended and adapted and Regulation on classification, packaging and labelling of Hazardous materials and preparations (26.12.2008-27092).

Label requirements

Risk phrases	This product is not classified according to EU legislation.
Other regulations	
REACH Status	The company, as identified in Section 1, sells this product in the EU in compliance with the current requirements of REACH.
United States inventory (TSCA 8b)	All components are listed or exempted.
Australia inventory (AICS)	All components are listed or exempted.
Canada inventory	All components are listed or exempted.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (ENCS)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.

16 . Other information

History

Date of issue/ Date of revision 12/31/2012.

Date of previous issue 7/13/2012.

Prepared by Product Stewardship

Notice to reader

Indicates information that has changed from previously issued version.

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Conforms to the regulation on preparation and distribution of safety data sheets on hazardous materials and preparations 26.12.2008 – 27092.

Substance/preparation Name	Energol HP 10	Product code	456621-BE02	Page:	5/5
Date of revision	31 December 2012	Number of Revisions	2	Format	Turkey
First issue date	1 December 2009	Build	1.0.1	(Turkey)	(ENGLISH)